

**Work Order ID 64380**

December 3, 2010 10:07:38 AM



Page 1

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 12/03/10 Start Qty: 1.00



Cust Item ID:

Required Date: 1/04/11 Req'd Qty: 1.00



Customer:

Reference:

Approvals:

Process Plan: CLDate: 10/12/03 Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2273	D								
D350-604-041	A								
DSI9470	A								

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

Salvatore

110

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 13059

Description: D350-604-041 Rear locker extender.

Supplier: Delastek.

Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B 115814CL 10/12/03 ①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

\_\_\_\_\_

Page 2

**Accept**

1  
 2  
 3  
 4  
 5  
 6  
 7  
 8  
 9  
 10  
 11  
 12  
 13  
 14  
 15  
 16  
 17  
 18  
 19  
 20  
 21  
 22  
 23  
 24  
 25  
 26  
 27  
 28  
 29  
 30  
 31  
 32  
 33  
 34  
 35  
 36  
 37  
 38  
 39  
 40  
 41  
 42  
 43  
 44  
 45  
 46  
 47  
 48  
 49  
 50  
 51  
 52  
 53  
 54  
 55  
 56  
 57  
 58  
 59  
 60  
 61  
 62  
 63  
 64  
 65  
 66  
 67  
 68  
 69  
 70  
 71  
 72  
 73  
 74  
 75  
 76  
 77  
 78  
 79  
 80  
 81  
 82  
 83  
 84  
 85  
 86  
 87  
 88  
 89  
 90  
 91  
 92  
 93  
 94  
 95  
 96  
 97  
 98  
 99  
 100  
 101  
 102  
 103  
 104  
 105  
 106  
 107  
 108  
 109  
 110  
 111  
 112  
 113  
 114  
 115  
 116  
 117  
 118  
 119  
 120  
 121  
 122  
 123  
 124  
 125  
 126  
 127  
 128  
 129  
 130  
 131  
 132  
 133  
 134  
 135  
 136  
 137  
 138  
 139  
 140  
 141  
 142  
 143  
 144  
 145  
 146  
 147  
 148  
 149  
 150  
 151  
 152  
 153  
 154  
 155  
 156  
 157  
 158  
 159  
 160  
 161  
 162  
 163  
 164  
 165  
 166  
 167  
 168  
 169  
 170  
 171  
 172  
 173  
 174  
 175  
 176  
 177  
 178  
 179  
 180  
 181  
 182  
 183  
 184  
 185  
 186  
 187  
 188  
 189  
 190  
 191  
 192  
 193  
 194  
 195  
 196  
 197  
 198  
 199  
 200  
 201  
 202  
 203  
 204  
 205  
 206  
 207  
 208  
 209  
 210  
 211  
 212  
 213  
 214  
 215  
 216  
 217  
 218  
 219  
 220  
 221  
 222  
 223  
 224  
 225  
 226  
 227  
 228  
 229  
 230  
 231  
 232  
 233  
 234  
 235  
 236  
 237  
 238  
 239  
 240  
 241  
 242  
 243  
 244  
 245  
 246  
 247  
 248  
 249  
 250  
 251  
 252  
 253  
 254  
 255  
 256  
 257  
 258  
 259  
 260  
 261  
 262  
 263  
 264  
 265  
 266  
 267  
 268  
 269  
 270  
 271  
 272  
 273  
 274  
 275  
 276  
 277  
 278  
 279  
 280  
 281  
 282  
 283  
 284  
 285  
 286  
 287  
 288  
 289  
 290  
 291  
 292  
 293  
 294  
 295  
 296  
 297  
 298  
 299  
 300  
 301  
 302  
 303  
 304  
 305  
 306  
 307  
 308  
 309  
 310  
 311  
 312  
 313  
 314  
 315  
 316  
 317  
 318  
 319  
 320  
 321  
 322  
 323  
 324  
 325  
 326  
 327  
 328  
 329  
 330  
 331  
 332  
 333  
 334  
 335  
 336  
 337  
 338  
 339  
 340  
 341  
 342  
 343  
 344  
 345  
 346  
 347  
 348  
 349  
 350  
 351  
 352  
 353  
 354  
 355  
 356  
 357  
 358  
 359  
 360  
 361  
 362  
 363  
 364  
 365  
 366  
 367  
 368  
 369  
 370  
 371  
 372  
 373  
 374  
 375  
 376  
 377  
 378  
 379  
 380  
 381  
 382  
 383  
 384  
 385  
 386  
 387  
 388  
 389  
 390  
 391  
 392  
 393  
 394  
 395  
 396  
 397  
 398  
 399  
 400  
 401  
 402  
 403  
 404  
 405  
 406  
 407  
 408  
 409  
 410  
 411  
 412  
 413  
 414  
 415  
 416  
 417  
 418  
 419  
 420  
 421  
 422  
 423  
 424  
 425  
 426  
 427  
 428  
 429  
 430  
 431  
 432  
 433  
 434  
 435  
 436  
 437  
 438  
 439  
 440  
 441  
 442  
 443  
 444  
 445  
 446  
 447  
 448  
 449  
 450  
 451  
 452  
 453  
 454  
 455  
 456  
 457  
 458  
 459  
 460  
 461  
 462  
 463  
 464  
 465  
 466  
 467  
 468  
 469  
 470  
 471  
 472  
 473  
 474  
 475  
 476  
 477  
 478  
 479  
 480  
 481  
 482  
 483  
 484  
 485  
 486  
 487  
 488  
 489  
 490  
 491  
 492  
 493  
 494  
 495  
 496  
 497  
 498  
 499  
 500  
 501  
 502  
 503  
 504  
 505  
 506  
 507  
 508  
 509  
 510  
 511  
 512  
 513  
 514  
 515  
 516  
 517  
 518  
 519  
 520  
 521  
 522  
 523  
 524  
 525

**Setup Start**

[REDACTED]

**Stop**



1000

**Cust Item ID:**

**Start Date:** 12/03/10      **Start Qty:** 1.00

**Required Date:** 1/04/11      **Req'd Qty:** 1.00

**Customer:**

**Reference:**

Run Start

**Abstract**

**Approvals:**      **Process Plan:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Tooling:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stop**

[illegible]

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

**Date:** \_\_\_\_\_ **SPC (Y/N):** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Insp.  
Stamp**

0.00

**Abstract**

### Packaging

## Memo

0.00

## Packaging

Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

0.00

[illegible]

QC

## Memo

0.00

## Quality Control

Check hole locations to template. DT 8824 Check process sheet and audit.

0.00

**RESEARCH DESIGN**

### Packaging

## Memo

0.00

## Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 64380**

December 3, 2010 10:07:38 AM



Page 3

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 12/03/10 Start Qty: 1.00



Cust Item ID:

Required Date: 1/04/11 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

150



QC

Quality Control

QC4- 100% Inspect kits for completeness

0.00

Subling

Memo

0.00



160



Packaging

Packaging

Packaging

Memo

Identify and pack for shipping as per PPP D350-604-041

Location: 3aPPP Rev: G

0.00

0.00

11/1/19 sf

170



QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

11/01/20

mf

11-01-19

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

December 3, 2010 10:07:38 AM

Page 1

Work Order ID: 64380

Parent Item: D350-604-041

Parent Item Name: Rear Locker Extender

Start Date: 12/03/10

Required Date: 1/04/11

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev: ☐ 03.12.01 ☐ Reformat ☐ KJ/RF ☐

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	----------------	--------------	---------------	----------------	--------

2600-6

Purchased

No

110

Each

109.0000

4

4



Camlock Stud



CZ10/12/03

Location

Loc Qty

Loc Code

ST381

109

114238

4

115814

36

115987

69

4

D2268

Manufactured

No

140

Each

16.0000

1

11/1/08



Decal



Location

Loc Qty

Loc Code

ST010

16

60213

1

62243

5

64072

10

1

D2269

Manufactured

No

140

Each

11.0000

1

11/1/08



Decal



Location

Loc Qty

Loc Code

ST010

11

62244

1

63338

10

1

D350-604-041P

Purchased

No

120

Each

0.0000

1

P264380 11/1/08



Rear Locker Extender



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries






DESIGN BW	DRAWN BY UP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED CH	APPROVED S	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01		TITLE REAR LOCKER EXTENDER ASSEMBLY	SCALE NTS
A	02.04.01	NEW ISSUE	
A1	RF 02.04.23	ADD D2728-1 DECAL + ORIENTATION NOTE REAR LOCKER EXTENDER (D2273)	

RELEASED  
02.04.03

W10' 64380  
CL10112103



### D350-604-041 REAR LOCKER EXTENDER

NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE



Copyright © 2002 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	JB	DRAWN BY	JP	DART AEROSPACE LTD	REV. 0
				HAWKESBURY, ONTARIO, CANADA	
CHECKED	#	APPROVED	JS	DRAWING NO. D2273	SHEET 1 OF 1
DATE	02.04.01	TITLE	350 REAR LOCKER EXTENDER	SCALE	NTS
B	96.05.27	RE-DRAWN			
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING			
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH			


RELEASED  
02.04.03 #

W/O: 64380



NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO  $\phi 0.257$  (4 PLACES).
- 4) MATERIALS:  
RESIN: DERAKANE 470-36/411/510A40  
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS  
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:  
101-WHITE GLOSS GELCOAT # GEL 944W005.  
102-9oz ALL OVER.  
103-18oz ALL OVER.  
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.  
105-9oz ALL OVER.  
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

# DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-604 REV. B

REF TCCA STC: SH90-4  
REF FAA STC: SR00463NY

## PURPOSE:

The 2600-4 Camloc Studs may be too short for some installations.

## CHANGE:

The qty (4) 2600-4 Camloc Studs are replaced with longer 2600-6 Camloc Studs. It is acceptable to install either 2600-4 or 2600-6 Camloc Studs. The parts list of D350-604 Rev. B is amended as follows:

QTY	PART NUMBER	DESCRIPTION
-041		
X	D350-604-041	REAR CARGO COMPARTMENT EXTENDER ASS'Y

## IS:

4	2600-6	CAMLOC STUD
---	--------	-------------

## WAS:

4	2600-4	CAMLOC STUD
---	--------	-------------



W10:64380

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-O-01

APPROVED

BY:   
D. SHEPHERD (DE # 02)

DATE: 09.07.01  
CERT. NO.: SH90-4  
ISSUE NO.: 3

A	NEW ISSUE, NCR 09-046	CP	09.07.01
REV.	DESCRIPTION	BY	DATE
DESIGN	92	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	97		
CHECKED	97	DRAWING NO.	REV. A
MFG. APPR.	VIA	DSI 9470	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		CAMLOC CHANGE	NTS
DATE	09.07.01	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO13059

Purchase Order Date 12/03/10

PO Print Date 12/03/10

Page Number 1 of 2

Order From :

VU-DEL003

DELASTEK INC  
2699 SE AVENUE, LOCAL C.P 123

GRAND-MERE, QC G9T 5K7  
CA

Contact Name

Vendor Phone 819 533 5788

Vendor Fax 819 533 3494

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

10127-2607

Tax Resale Nbr

Net 30

Terms

Currency

USD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**  
*6/10/2010*

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D350-604-041P	Rear Locker Extender	1/04/11 Yes	1.00 Each	Purolator ground	\$330.0000	\$330.00
		Special Inst:	AS PER DWG D2273 REV.D B64378				
2	D350-604-041P	Rear Locker Extender	1/04/11 Yes	1.00 Each	Purolator ground	\$330.0000	\$330.00
		Special Inst:	AS ABOVE B64379				
3	D350-604-041P	Rear Locker Extender	1/04/11 Yes	1.00 Each	Purolator ground	\$330.0000	\$330.00
		Special Inst:	AS ABOVE B64380				
4	D350-604-041P	Rear Locker Extender	1/04/11 Yes	1.00 Each	Purolator ground	\$330.0000	\$330.00

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

Change Nbr: 1

Change Date: 12/03/10



Delastek inc.  
2699 5e avenue  
Local 14, Porte -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\* Fax (819) 533-3494 \*\*

# PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	36658
Customer #	DART US

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

Ship to:

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
PURO GROUND		Point de départ		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by	Your PO #		GST/PST #	
14/01/2011	03/12/2010	16222	Chantal Lavoie	PO13059			
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Line# 1 Rear Locker Extender D350-604-041P B64378 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> <u>No. lot</u> B64378 30654			
1	0	1	DKC134-0003	Line #2 Rear Locker Extender D350-604-041P B64379 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> <u>No. lot</u> B64379 30657			
1	0	1	DKC134-0003	Line #3 Rear Locker Extender D350-604-041P B64380 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> <u>No. lot</u> B64380 30656			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

Continued on next page

☐ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department

AQ-357





Delastek inc.  
2699 5e avenue  
Local 14, Porte -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\* Fax (819) 533-3494 \*\*

# PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	36658
Customer #	DART US

Telephone: (819) 533-5788  
Warehouse: MAIN

**Bill to:**

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

**Ship to:**

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200  
Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
PURO GROUND		Point de départ		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
14/01/2011	03/12/2010	16222	Chantal Lavoie		PO13059		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Line #4 Rear Locker Extender D350-604-041P B64381 Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> B64381			
				<u>No. lot</u> 30655			
				U de M : Each			

*It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.*

☐ Cust.    ☐ Adm.    ☐ Quality    ☐ Ship.

Accepted by: \_\_\_\_\_

Quality department



AQ-357

Date: Mercredi, 2010-12-08 16:25:56  
 Utilisateur: Pascal Carignan

## Feuille de Procédé

<b>Client</b>	: DART US DART AEROSPACE LTD	<b>Nom Dessin</b>	: REAR LOCKER EXTENDER
<b>Numéro Job</b>	: 30656	<b>Numéro Article</b>	: DKC134-0003
<b>Numéro Soumission</b>	: 3482	<b>Numéro Dessin</b>	: D350-604-041 & D2273
<b>Numéro B.A.</b>	:	<b>Projet Numéro</b>	: DK-362
<b>Cette fois</b>	: 2010-12-08	<b>Révision dessin</b>	: A & D
<b>Prsht Rev.</b>	: NC	<b>Matériel</b>	: Derakane 470-36/411/510
<b>Prem. fois</b>	: - -	<b>Date Dûe</b>	: 2010-12-15
<b>Job précédente</b>	: 30655	<b>Qté:</b>	1 Udm: UNITE

**Écrit par** : \_\_\_\_\_  
**Vérifié & Approuvé par** : \_\_\_\_\_  
**Commentaires** : N° de pièce Laminée Dart Aerospace: D2273  
 N° de pièce Assemblage Dart Aerospace: D350-604-041

B64380

Process Sheet Rév.: 01 Mise en page selon nouvelle forme.  
 Déplacer cette seq. 12 en avant de la seq. 6. Ajouter sablage dans  
 seq. Trimage.

## Produit additionnel

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

1.0	PRÉPARATION	Préparation du moule
-----	-------------	----------------------



**Commentair** Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire la préparation du moule DKO-0250 selon IG 0009.

Date: 15/12/10 Sceau: \_\_\_\_\_



2.0	AMB0350	Gel Coat Blanc N° Gel 944W005
-----	---------	-------------------------------

**Commentair** Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)

Gel Coat Blanc N° Gel 944W005

N° de Lot: 1-29020-1

3.0	AMB0286	Catalyst N° DDM-9
-----	---------	-------------------

**Commentair** Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot: 1-22176-1

4.0	AC0747	Acetone
-----	--------	---------

**Commentair** Qty.: 0.200 KILOGRAMME(s)/Unit Total : 0.200 KILOGRAMME(s)

5.0	PREP-GENERAL	Préparation du matériel
-----	--------------	-------------------------



**Commentair** Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Date: 10/12/10 Sceau: \_\_\_\_\_



Date: Mercredi, 2010-12-08 16:25:56  
Utilisateur: Pascal Carignan

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 30656

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

6.0

PREP-GENERAL

Préparation du matériel



Commentaire Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Faire la préparation du matériel selon IF134-0003 :

Dans une quantité de Gel Coat N° 944W005 ajouter 2% de Catalyst N° DDM-9 et diluer à l'aide de 10% d'acétone.

Date: 15/12/10 Sceau: 

7.0

GEL COAT

Application du Gel Coat



Commentaire Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs

Appliquer le gel coat selon IF 134-0003(réf. IG0019).

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Quantité: 1 Date: 15/12/10 Sceau: 

8.0

AMB0212

Résine (411B7530) 411-350 promo. 75min.

Commentaire Qty.: 1.680 LITRE(s)/Unit Total : 1.680 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot: 1-29325-1

9.0

AMB0286

Catalyst N° DDM-9

Commentaire Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot: 1-27829-1

10.0

AMB0214

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentaire Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

N° de Lot: 1-28776-2

11.0

AMB0213

WR1850 Roving 18oz x 50"

Commentaire Qty.: 1.140 KILOGRAMME(s)/Unit Total : 1.140 KILOGRAMME(s)

WR1850 Roving 18oz. x 50"

N° de Lot: 1-22302-1

12.0

LAMINAGE

Faire le laminage



Commentaire Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs

Selon IF 134-0003. S'assurer de ne pas trapper d'air entre les rangs.

Inscrire les informations suivantes:

Humidité: 22% Température: 70.7°F Heure: —



Date: Mercredi, 2010-12-08 16:25:56  
Utilisateur: Pascal Cargnan

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 30656

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

Quantité: 1

Date: 15/12/10

Sceau:



13.0 AMB0212

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 LITRE(s)/Unit Total: 0.150 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-29325-1

14.0 AMB0286

Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total: 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-27829-1

15.0

FINITION

Finition Générale



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run: 0.5000Hrs

Injecter les bulles d'air selon IF134-0003 si applicable.

Quantité: 1

Date: 16-12-10

Sceau:



16.0

DÉMOULAGE

Démoulage de la pièce



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run: 0.1667Hrs

Faire le démoulage de la pièce selon IF134-0003 en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager.

Quantité: 1

Date: 16/12/10

Sceau:



17.0

TRIMAGE

Trimage



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run: 0.6667Hrs

Selon IF 134-0002.

Faire le sablage si nécessaire.

Quantité: 1

Date: 17-12-10

Sceau:



18.0

AAC1021

Dupont Primer N° 7704S

Commentair Qty.: 0.3400 UNITE(s)/Unit Total: 0.3400 UNITE(s)

Dupont Primer N° 7704S

N° de Lot: 1-28961-2

Date: Mercredi, 2010-12-08 16:25:56

Utilisateur: Pascal Carignan

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 30656

Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

19.0

AAC1101

N° 7775S, Dupont Activator - Reducer Chromabase

Commentair Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)

N° 7775S, Dupont Activator - Reducer Chromabase

N° de Lot: 1-28382-1

20.0

PRIMER

Application primer



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon IG 0008.

Quantité: 1

Date: 11 janv 11

Sceau:



N° fiche de Mélange: N/A

21.0

AAC1607

Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-28576-1

22.0

AAC0682

Washer 2600-LW (1127700)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Washer 2600-LW (1127700)

N° de Lot: 1-6687-1

23.0

ASSEMBLAGE

Assemblage mécanique



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire l'assemblage selon IF134-0004.

Démasker la pièce.

Assembler les "Studs" selon IG 0037.

Quantité: 1

Date: 14-1-11

Sceau:



24.0

IDENTIFICATION

Identification à encre indélébile



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'identification de la pièce selon IF134-0005

Quantité: 1

Date: 14-01-11

Sceau:

L.B.

25.0

INSPEC FINAL

Inspection finale



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Quantité: 1

Date: 14 jan'11

Sceau:





Date: Mercredi, 2010-12-08 16:25:56  
Utilisateur: Pascal Carignan

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 30656

Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

26.0

EMBALLAGE

Emballage & Entreposage



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage selon IG 0057.

Quantité: 1

Date: 14 Jan 11

Sceau: L.B

fat 12 Janv 2011  
Jom 30656

